

---

# **django-app-gen Documentation**

*Release 0.1.0*

**Grant McConnaughey**

**Sep 27, 2017**



---

# Contents

---

<b>1</b>	<b>django-app-gen</b>	<b>3</b>
1.1	Documentation . . . . .	3
1.2	Quickstart . . . . .	3
1.3	Running Tests . . . . .	4
1.4	Credits . . . . .	4
<b>2</b>	<b>Installation</b>	<b>5</b>
<b>3</b>	<b>Usage</b>	<b>7</b>
<b>4</b>	<b>Contributing</b>	<b>9</b>
4.1	Types of Contributions . . . . .	9
4.2	Get Started! . . . . .	10
4.3	Pull Request Guidelines . . . . .	11
4.4	Tips . . . . .	11
<b>5</b>	<b>Credits</b>	<b>13</b>
5.1	Development Lead . . . . .	13
5.2	Contributors . . . . .	13
<b>6</b>	<b>History</b>	<b>15</b>
6.1	0.1.0 (Not released) . . . . .	15



Contents:



Generate CRUD views, templates, forms, URLs, and tests for a model. For Django 1.8+ and Python 2.7/3.3+.

## Documentation

The full documentation is at <https://django-app-gen.readthedocs.org>.

## Quickstart

Install django-app-gen:

```
pip install django-app-gen
```

Create a model in your app's models.py file:

```
from django.db import models

class Question(models.Model):
    question_text = models.CharField(max_length=200)
    pub_date = models.DateTimeField('date published')
```

Then generate your views, templates, forms, URLs, and tests.:

```
python manage.py generate_all Question
```

Add the new URLs to your root `urls.py` file. The generated templates and `views.py` files assume your URLs are namespaced by your app's name:

```
urlpatterns = [
    # ...
```

```
url(r"^(app_name)", include("app_name.urls", namespace="app_name")),  
# ...  
]
```

## Running Tests

Does the code actually work?

```
source <YOURVIRTUALENV>/bin/activate  
(myenv) $ pip install -r requirements-text.txt  
(myenv) $ python runtests.py
```

## Credits

Tools used in rendering this package:

- [Cookiecutter](#)
- [cookiecutter-pypackage](#)

## CHAPTER 2

---

### Installation

---

At the command line:

```
$ easy_install django-app-gen
```

Or, if you have virtualenvwrapper installed:

```
$ mkvirtualenv django-app-gen  
$ pip install django-app-gen
```



## CHAPTER 3

---

### Usage

---

To use django-app-gen in a project:

```
import appgen
```



Contributions are welcome, and they are greatly appreciated! Every little bit helps, and credit will always be given. You can contribute in many ways:

### Types of Contributions

#### Report Bugs

Report bugs at <https://github.com/grantmconnaughey/django-app-gen/issues>.

If you are reporting a bug, please include:

- Your operating system name and version.
- Any details about your local setup that might be helpful in troubleshooting.
- Detailed steps to reproduce the bug.

#### Fix Bugs

Look through the GitHub issues for bugs. Anything tagged with “bug” is open to whoever wants to implement it.

#### Implement Features

Look through the GitHub issues for features. Anything tagged with “feature” is open to whoever wants to implement it.

## Write Documentation

django-app-gen could always use more documentation, whether as part of the official django-app-gen docs, in docstrings, or even on the web in blog posts, articles, and such.

## Submit Feedback

The best way to send feedback is to file an issue at <https://github.com/grantmconnaughey/django-app-gen/issues>.

If you are proposing a feature:

- Explain in detail how it would work.
- Keep the scope as narrow as possible, to make it easier to implement.
- Remember that this is a volunteer-driven project, and that contributions are welcome :)

## Get Started!

Ready to contribute? Here's how to set up *django-app-gen* for local development.

1. Fork the *django-app-gen* repo on GitHub.
2. Clone your fork locally:

```
$ git clone git@github.com:your_name_here/django-app-gen.git
```

3. Install your local copy into a virtualenv. Assuming you have virtualenvwrapper installed, this is how you set up your fork for local development:

```
$ mkvirtualenv django-app-gen
$ cd django-app-gen/
$ python setup.py develop
```

4. Create a branch for local development:

```
$ git checkout -b name-of-your-bugfix-or-feature
```

Now you can make your changes locally.

5. When you're done making changes, check that your changes pass flake8 and the tests, including testing other Python versions with tox:

```
$ flake8 appgen tests
$ python setup.py test
$ tox
```

To get flake8 and tox, just pip install them into your virtualenv.

6. Commit your changes and push your branch to GitHub:

```
$ git add .
$ git commit -m "Your detailed description of your changes."
$ git push origin name-of-your-bugfix-or-feature
```

7. Submit a pull request through the GitHub website.

## Pull Request Guidelines

Before you submit a pull request, check that it meets these guidelines:

1. The pull request should include tests.
2. If the pull request adds functionality, the docs should be updated. Put your new functionality into a function with a docstring, and add the feature to the list in README.rst.
3. The pull request should work for Python 2.7 and 3.4+, and for PyPy. Check [https://travis-ci.org/grantmcconnaughey/django-app-gen/pull\\_requests](https://travis-ci.org/grantmcconnaughey/django-app-gen/pull_requests) and make sure that the tests pass for all supported Python versions.

## Tips

To run a subset of tests:

```
$ python -m unittest tests.test_appgen
```



## Development Lead

- Grant McConnaughey <grantmcconnaughey@gmail.com>

## Contributors

None yet. Why not be the first?



**0.1.0 (Not released)**

- Initial release.